

REMARKS

Claims 1-9 are active in the present application. The claims are amended to remove multiple dependencies. Claim 9 is supported by the specification. No new matter is added. An action on the merits and allowance of the claims is solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Norman F. Oblon
Attorney of Record
Registration No. 24,618

Daniel J. Pereira, Ph.D.
Registration No. 45,518



22850

(703) 413-3000
Fax #: (703) 413-2220
NFO/DJP/law

I:\user\DJPER\205494-PR.WPD

Marked-Up Copy

Serial No:

6-20-01

Amendment Filed on:

IN THE CLAIMS

Please amend the claims as follows:

--3. (Amended) The olefin copolymer as claimed in claim 1 [or 2], of which the glass transition temperature Tg is lower than 30°C.


4. (Amended) The olefin copolymer as claimed in [any of claims 1 to 3] claim 1, of which the limiting viscosity $[\eta]$ measured in decalin at 135°C falls between 0.01 and 20 dl/g.

5. (Amended) The olefin copolymer as claimed in [any of claims 1 to 4] claim 1, of which the tensile modulus is at most 600 MPa.

6. (Amended) The olefin copolymer as claimed in [any of claims 1 to 5] claim 1, of which the internal haze is at most 20 %.

7. (Amended) The olefin copolymer as claimed in [any of claims 1 to 6] claim 1, which is obtained by polymerizing a cyclic olefin, an aromatic vinyl compound and an aliphatic α -olefin having from 2 to 20 carbon atoms in the presence of an olefin polymerization catalyst that comprises (D) at least one selected from transition metal compounds of groups 4 to 6 of the Periodic Table and transition metal compounds of Groups 8 to 10 of the Periodic Table of the following general formulae (1) to (4), and (E) at least one selected from a compound group of (e-1) oxygen-containing organometallic compounds, (e-2) ionic compounds capable of reacting with the transition metal compounds to form ionic complexes, and (e-3) clay, clay minerals and ion-exchanging layered compounds:





wherein Q^1 represents a bonding group that crosslinks the two conjugated five-membered cyclic ligands $(C_5H_{5-a-b}R^1_b)$ and $(C_5H_{5-a-c}R^2_c)$; Q^2 represents a bonding group that crosslinks the conjugated five-membered cyclic ligand $(C_5H_{5-a-d}R^3_d)$ and the group Z^1 , R^1 , R^2 , R^3 and R^4 each represent a hydrocarbon group, a halogen atom, an alkoxy group, a silicon-containing hydrocarbon group, a phosphorus-containing hydrocarbon group, a nitrogen-containing hydrocarbon group, or a boron-containing hydrocarbon group; and a plurality of these groups, if any, may be the same or different, and may be bonded to each other to form a cyclic structure; a represents 0, 1 or 2; b, c and d each represent an integer of from 0 to 5 when a = 0, or an integer of from 0 to 4 when a = 1, or an integer of from 0 to 3 when a = 2; e is an integer of from 0 to 5; M^1 represents a transition metal of Groups 4 to 6 or Groups 8 to 10 of the Periodic Table; M^2 represents a transition metal of Groups 8 to 10 of the Periodic Table; L^1 and L^2 each represent a covalent-bonding or coordination-bonding ligand, and they may be bonded to each other; X^1 , Y^1 , Z^1 and W^1 each represent a covalent-bonding or ionic-bonding ligand, and X^1 , Y^1 and W^1 may be bonded to each other.

8. (Amended) Films and sheets formed from the olefin copolymer of [any of claims 1 to 7] Claim 1.--